

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 0.99. The smaller the value, the greater the limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Ac: Ackerman-----	65	Poor Too sandy	0.00	Poor Depth to saturated zone	0.00	Poor Too sandy	0.00
		Wind erosion	0.00			Depth to saturated zone	0.00
		Low content of organic matter	0.88			Carbonate content	0.92
		Carbonate content	0.92				
Martisco Variant----	35	Poor Carbonate content	0.00	Poor Depth to saturated zone	0.00	Poor Carbonate content	0.00
						Depth to saturated zone	0.00
Ad: Adrian, drained----	75	Poor Wind erosion	0.00	Poor Depth to saturated zone	0.00	Poor Depth to saturated zone	0.00
		Low content of organic matter	0.18			Content of organic matter	0.00
		Carbonate content	0.92				
Af: Adrian Variant-----	100	Poor Too sandy	0.00	Poor Depth to saturated zone	0.00	Poor Too sandy	0.00
		Wind erosion	0.00			Depth to saturated zone	0.00
		Carbonate content	0.92			Carbonate content	0.92
Ap: Algansee-----	100	Poor Wind erosion	0.00	Fair Depth to saturated zone	0.14	Poor Too sandy	0.00
		Too sandy	0.00			Depth to saturated zone	0.14
		Droughty	0.84				
		Low content of organic matter	0.88				
Ar: Aquolls-----	100	Poor Low content of organic matter	0.00	Poor Slope	0.00	Poor Slope	0.00
				Low strength	0.00		

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
AuA: Aubbeenaubee-----	55	Fair Carbonate content	0.46	Fair Depth to saturated zone	0.04	Fair Depth to saturated zone	0.04
		Too acid	0.84				
		Low content of organic matter	0.88				
Whitaker-----	35	Fair Carbonate content	0.80	Fair Depth to saturated zone	0.04	Fair Depth to saturated zone	0.04
		Low content of organic matter	0.88	Shrink-swell	0.99		
		Too acid	0.97				

AyB:							
Ayr-----	90	Poor		Good		Fair	
		Wind erosion	0.00			Too sandy	0.22
		Too sandy	0.22				
		Carbonate content	0.46				
		Low content of organic matter	0.88				
AzA:							
Ayrmount-----	90	Poor		Good		Fair	
		Wind erosion	0.00			Too sandy	0.22
		Too sandy	0.22				
		Carbonate content	0.46				
		Low content of organic matter	0.88				
		Too acid	0.95				
		Water erosion	0.99				
BbA:							
Barce-----	60	Fair		Fair		Fair	
		Carbonate content	0.46	Depth to saturated zone	0.76	Depth to saturated zone	0.76
		Too acid	0.97	Shrink-swell	0.99		
Corwin-----	30	Fair		Fair		Fair	
		Carbonate content	0.46	Depth to saturated zone	0.76	Hard to reclaim	0.71
		Too acid	0.84			Depth to saturated zone	0.76
		Low content of organic matter	0.88				
BfB2:							
Barce-----	45	Fair		Fair		Fair	
		Carbonate content	0.46	Depth to saturated zone	0.76	Depth to saturated zone	0.76
		Too acid	0.97	Shrink-swell	0.99		

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Montmorenci-----	45	Fair		Fair		Fair	
		Carbonate content	0.46	Depth to saturated zone	0.76	Depth to saturated zone	0.76
		Low content of organic matter	0.88			Hard to reclaim	0.97
		Water erosion	0.99				
Bh:							
Barry-----	60	Fair		Poor		Poor	
		Carbonate content	0.46	Depth to saturated zone	0.00	Depth to saturated zone	0.00
Gilford-----	40	Fair		Poor		Poor	
		Low content of organic matter	0.12	Depth to saturated zone	0.00	Depth to saturated zone	0.00
		Carbonate content	0.92			Hard to reclaim	0.54
BmB:							
Brems-----	85	Poor		Fair		Poor	
		Too sandy	0.00	Depth to saturated zone	0.76	Too sandy	0.00
		Wind erosion	0.00			Depth to saturated zone	0.76
		Low content of organic matter	0.12			Too acid	0.98
		Droughty	0.38				
		Too acid	0.54				
By:							
Bryce-----	100	Poor		Poor		Poor	
		Too clayey	0.00	Depth to saturated zone	0.00	Too Clayey	0.00
		Carbonate content	0.80	Shrink-swell	0.20	Depth to saturated zone	0.00
Co:							
Comfrey-----	100	Fair		Poor		Poor	
		Carbonate content	0.92	Depth to saturated zone	0.00	Depth to saturated zone	0.00
				Shrink-swell	0.94		
Cr:							
Conrad-----	100	Poor		Poor		Poor	

CtA: Corwin-----	90	Fair	Too sandy	0.00	Depth to saturated zone	0.00	Fair	Too sandy	0.00
			Wind erosion	0.00				Depth to saturated zone	0.00
			Droughty	0.33					
			Low content of organic matter	0.88					
			Carbonate content	0.92					
		Fair	Carbonate content	0.46	Fair	Depth to saturated zone	0.76	Fair	Depth to saturated zone
			Too acid	0.97					
			Water erosion	0.99					

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
CtB2: Corwin-----	90	Fair		Fair		Fair	
		Carbonate content	0.46	Depth to saturated zone	0.76	Depth to saturated zone	0.76
		Too acid	0.97				
		Water erosion	0.99				
Cv: Craigmile-----	100	Fair		Poor		Poor	
		Low content of organic matter	0.88	Depth to saturated zone	0.00	Depth to saturated zone	0.00
Cz: Craigmile-----	100	Fair		Poor		Poor	
		Too sandy	0.22	Depth to saturated zone	0.00	Depth to saturated zone	0.00
		Low content of organic matter	0.88			Too sandy	0.22
DaA: Darroch-----	90	Fair		Fair		Fair	
		Low content of organic matter	0.12	Depth to saturated zone	0.04	Depth to saturated zone	0.04
		Carbonate content	0.68				
		Water erosion	0.90				
DcA: Darroch-----	90	Fair		Fair		Fair	
		Low content of organic matter	0.12	Depth to saturated zone	0.04	Depth to saturated zone	0.04
		Carbonate content	0.68				
		Water erosion	0.90				
DdA: Darroch-----	90	Fair		Fair		Fair	
		Carbonate content	0.68	Depth to saturated zone	0.04	Depth to saturated zone	0.04
		Low content of organic matter	0.88				
		Water erosion	0.90				
DgA: Darroch-----	90	Fair		Fair		Fair	
		Water erosion	0.68	Depth to saturated zone	0.04	Depth to saturated zone	0.04
		Carbonate content	0.68			Carbonate content	0.92
		Low content of organic matter	0.88				
EsB: Elston Variant-----	90	Fair		Good		Good	
		Low content of organic matter	0.88				
		Carbonate content	0.92				
		Too acid	0.95				

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and	Value	Rating class and	Value	Rating class and	Value

		limiting features		limiting features		limiting features	
FeA: Foresman-----	90	Fair		Fair		Fair	
		Carbonate content	0.80	Depth to saturated zone	0.76	Depth to saturated zone	0.76
		Water erosion	0.90	Shrink-swell	0.99		
		Too acid	0.97				
FoA: Foresman-----	90	Fair		Fair		Fair	
		Carbonate content	0.80	Depth to saturated zone	0.76	Too Clayey	0.70
		Low content of organic matter	0.88			Depth to saturated zone	0.76
		Water erosion	0.90				
		Too acid	0.97				
		Too clayey	0.98				
FoB2: Foresman-----	90	Fair		Fair		Fair	
		Carbonate content	0.80	Depth to saturated zone	0.76	Too Clayey	0.70
		Low content of organic matter	0.88			Depth to saturated zone	0.76
		Water erosion	0.90				
		Too acid	0.97				
		Too clayey	0.98				
FrA: Foresman-----	90	Fair		Fair		Fair	
		Carbonate content	0.32	Depth to saturated zone	0.76	Depth to saturated zone	0.76
		Water erosion	0.90				
FrB2: Foresman-----	90	Fair		Fair		Fair	
		Carbonate content	0.46	Depth to saturated zone	0.76	Depth to saturated zone	0.76
		Water erosion	0.90				
FtA: Foresman-----	90	Fair		Fair		Fair	
		Carbonate content	0.46	Depth to saturated zone	0.76	Depth to saturated zone	0.76
		Water erosion	0.90				
		Too acid	0.97				
FtB2: Foresman-----	90	Fair		Fair		Fair	
		Carbonate content	0.46	Depth to saturated zone	0.76	Depth to saturated zone	0.76
		Water erosion	0.90				
		Too acid	0.97				

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
FwA: Foresman-----	90	Fair		Fair		Fair	
		Carbonate content	0.80	Depth to saturated zone	0.76	Depth to saturated zone	0.76
		Low content of organic matter	0.88	Shrink-swell	0.99		
		Water erosion	0.90				
		Too acid	0.97				
GbA: Gilboa-----	55	Fair		Poor		Poor	
		Carbonate content	0.46	Depth to saturated zone	0.00	Depth to saturated zone	0.00
		Low content of organic matter	0.88	Shrink-swell	0.99	Rock fragments	0.88
		Water erosion	0.99				
Odell-----	35	Fair		Fair		Fair	
		Carbonate content	0.46	Depth to saturated zone	0.04	Depth to saturated zone	0.04
		Low content of organic matter	0.88			Hard to reclaim	0.90
		Water erosion	0.99				
Gf: Gilford-----	85	Fair		Poor		Poor	

		Low content of organic matter	0.12	Depth to saturated zone	0.00	Depth to saturated zone	0.00
GhB: Glenhall-----	90	Fair		Fair		Fair	
		Low content of organic matter	0.88	Depth to saturated zone	0.76	Too Clayey	0.70
		Carbonate content	0.92			Depth to saturated zone	0.76
		Too acid	0.95				
		Too clayey	0.98				
		Water erosion	0.99				
Gn: Granby-----	100	Poor		Poor		Poor	
		Too sandy	0.00	Depth to saturated zone	0.00	Too sandy	0.00
		Wind erosion	0.00			Depth to saturated zone	0.00
		Low content of organic matter	0.12				
		Droughty	0.80				
Gt: Granby-----	65	Poor		Poor		Poor	
		Too sandy	0.00	Depth to saturated zone	0.00	Too sandy	0.00
		Wind erosion	0.00			Depth to saturated zone	0.00
		Droughty	0.89				

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Ho: Houghton, drained----	75	Poor		Poor		Poor	
		Wind erosion	0.00	Depth to saturated zone	0.00	Depth to saturated zone	0.00
						Content of organic matter	0.00
Ir: Iroquois-----	100	Fair		Poor		Poor	
		Carbonate content	0.46	Depth to saturated zone	0.00	Depth to saturated zone	0.00
		Low content of organic matter	0.88	Shrink-swell	0.86		
Ke: Kentland-----	100	Poor		Poor		Poor	
		Wind erosion	0.00	Depth to saturated zone	0.00	Depth to saturated zone	0.00
		Too sandy	0.22			Too sandy	0.22
		Carbonate content	0.32			Carbonate content	0.32
		Droughty	0.95				
MeA: Martinsville-----	55	Fair		Good		Good	
		Carbonate content	0.80				
		Too acid	0.84				
		Low content of organic matter	0.88				
		Water erosion	0.99				
Williamstown-----	35	Fair		Fair		Fair	
		Low content of organic matter	0.12	Depth to saturated zone	0.53	Depth to saturated zone	0.53
		Carbonate content	0.46			Hard to reclaim	0.90
MeB2: Martinsville-----	55	Fair		Good		Good	
		Too acid	0.84				
		Low content of organic matter	0.88				
		Carbonate content	0.92				
		Water erosion	0.99				
Williamstown-----	35	Fair		Fair		Fair	
		Low content of organic matter	0.12	Depth to saturated zone	0.53	Depth to saturated zone	0.53
		Carbonate content	0.46			Hard to reclaim	0.90
Mh: Maumee-----	100	Poor		Poor		Poor	
		Too sandy	0.00	Depth to	0.00	Too sandy	0.00

	Wind erosion	0.00	saturated zone		Depth to saturated zone	0.00
	Droughty	0.54			Carbonate content	0.92
	Low content of organic matter	0.88				
	Carbonate content	0.92				

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Mk: Maumee-----	100	Poor Too sandy	0.00	Poor Depth to saturated zone	0.00	Poor Too sandy	0.00
		Wind erosion	0.00			Depth to saturated zone	0.00
		Carbonate content	0.92			Carbonate content	0.92
		Droughty	0.98				
MnC2: Miami-----	90	Fair Carbonate content	0.46	Fair Depth to saturated zone	0.98	Fair Too Clayey	0.70
		Too acid	0.74			Hard to reclaim	0.80
		Low content of organic matter	0.88			Slope	0.84
		Too clayey	0.98			Depth to saturated zone	0.98
		Water erosion	0.99				
MnE: Miami-----	90	Fair Carbonate content	0.46	Fair Slope	0.68	Poor Slope	0.00
		Too acid	0.74	Shrink-swell	0.91	Too Clayey	0.70
		Low content of organic matter	0.88			Hard to reclaim	0.80
		Too clayey	0.98				
		Water erosion	0.99				
Mp: Montgomery-----	100	Fair Too clayey	0.02	Poor Depth to saturated zone	0.00	Poor Depth to saturated zone	0.00
		Carbonate content	0.68	Shrink-swell	0.40	Too Clayey	0.02
MrB2: Montmorenci-----	90	Fair Carbonate content	0.46	Fair Depth to saturated zone	0.76	Fair Depth to saturated zone	0.76
		Low content of organic matter	0.88			Hard to reclaim	0.80
MuA: Morocco-----	85	Poor Too sandy	0.00	Fair Depth to saturated zone	0.04	Poor Too sandy	0.00
		Wind erosion	0.00			Depth to saturated zone	0.04
		Droughty	0.27			Too acid	0.98
		Too acid	0.54				
		Low content of organic matter	0.88				

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
NsA: Nesius-----	90	Poor Too sandy	0.00	Fair Depth to saturated zone	0.76	Poor Too sandy	0.00
		Wind erosion	0.00			Depth to saturated zone	0.76
		Droughty	0.85				
		Low content of	0.88				

			organic matter				
NsB:							
Nesius-----	90	Poor		Fair		Poor	
		Too sandy	0.00	Depth to	0.76	Too sandy	0.00
		Wind erosion	0.00	saturated zone		Depth to	0.76
		Droughty	0.85			saturated zone	
		Low content of	0.88				
		organic matter					
Nw:							
Newton-----	100	Poor		Poor		Poor	
		Too sandy	0.00	Depth to	0.00	Too sandy	0.00
		Wind erosion	0.00	saturated zone		Depth to	0.00
		Droughty	0.18			saturated zone	
		Too acid	0.54			Too acid	0.98
		Low content of	0.88				
		organic matter					
OaB:							
Oakville-----	85	Poor		Good		Poor	
		Too sandy	0.00			Too sandy	0.00
		Wind erosion	0.00				
		Droughty	0.42				
		Low content of	0.88				
		organic matter					
		Too acid	0.88				
OaC:							
Oakville-----	85	Poor		Good		Poor	
		Too sandy	0.00			Too sandy	0.00
		Wind erosion	0.00			Slope	0.37
		Droughty	0.42				
		Low content of	0.88				
		organic matter					
		Too acid	0.88				
ObB:							
Oakville-----	85	Poor		Good		Poor	
		Too sandy	0.00			Too sandy	0.00
		Wind erosion	0.00				
		Droughty	0.25				
		Low content of	0.88				
		organic matter					
		Too acid	0.88				

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material	Potential source of roadfill	Potential source of topsoil
		Rating class and limiting features	Rating class and limiting features	Rating class and limiting features
OcC2:				
Octagon-----	90	Fair	Fair	Fair
		Carbonate content	Depth to	Slope
		0.46	saturated zone	0.37
		Low content of		Depth to
		organic matter		saturated zone
		0.88		0.89
OkB2:				
Octagon-----	55	Fair	Fair	Fair
		Carbonate content	Depth to	Depth to
		0.46	saturated zone	saturated zone
		Low content of		0.89
		organic matter		
		0.88		
Ayr-----	35	Poor	Good	Fair
		Wind erosion		Too sandy
		0.00		0.22
		Too sandy		
		0.22		
		Carbonate content		
		0.46		
		Low content of		
		organic matter		
		0.88		
OnA:				
Onarga-----	90	Fair	Fair	Fair
		Too acid	Depth to	Depth to
		0.84	saturated zone	saturated zone
		Low content of		0.76
		organic matter		
		0.88		
OnB2:				
Onarga-----	90	Fair	Fair	Fair
		Too acid	Depth to	Depth to
		0.84	saturated zone	saturated zone
			0.76	0.76

			Low content of organic matter	0.88					
OpB2:									
Onarga-----	90	Fair			Fair		Fair		
		Carbonate content	0.46		Depth to saturated zone	0.76	Depth to saturated zone	0.76	
OrB:									
Ormas-----	90	Poor			Good		Poor		
		Wind erosion	0.00				Rock fragments	0.00	
		Carbonate content	0.00				Carbonate content	0.97	
		Low content of organic matter	0.88						
		Too acid	0.95						
		Droughty	0.98						
PaA:									
Papineau-----	90	Fair			Fair		Fair		
		Carbonate content	0.46		Depth to saturated zone	0.04	Depth to saturated zone	0.04	
					Shrink-swell	0.55			

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
PaB:							
Papineau-----	90	Fair		Fair		Fair	
		Carbonate content	0.46	Depth to saturated zone	0.04	Depth to saturated zone	0.04
				Shrink-swell	0.57		
Pp:							
Peotone-----	100	Fair		Poor		Poor	
		Too clayey	0.50	Depth to saturated zone	0.00	Depth to saturated zone	0.00
		Carbonate content	0.92	Shrink-swell	0.87	Too Clayey	0.50
Pt:							
Pits-----	100	Not rated		Not rated		Not rated	
Pu:							
Prochaska-----	100	Poor		Poor		Poor	
		Too sandy	0.00	Depth to saturated zone	0.00	Too sandy	0.00
		Wind erosion	0.00			Depth to saturated zone	0.00
		Droughty	0.11				
		Low content of organic matter	0.88				
		Too acid	0.97				
Px:							
Prochaska-----	100	Poor		Poor		Poor	
		Too sandy	0.00	Depth to saturated zone	0.00	Too sandy	0.00
		Wind erosion	0.00			Depth to saturated zone	0.00
		Droughty	0.32				
		Low content of organic matter	0.88				
		Too acid	0.97				
Py:							
Prochaska-----	100	Poor		Poor		Poor	
		Too sandy	0.00	Depth to saturated zone	0.00	Too sandy	0.00
		Wind erosion	0.00			Depth to saturated zone	0.00
		Droughty	0.28				
		Low content of organic matter	0.88				
		Too acid	0.97				
RtA:							
Ridgeville-----	90	Fair		Fair		Fair	
		Low content of organic matter	0.88	Depth to saturated zone	0.04	Depth to saturated zone	0.04
		Too acid	0.95				

Table ENG-2.--Construction Materials--Continued



Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
RuA: Ridgeville-----	90	Fair Carbonate content	0.46	Fair Depth to saturated zone	0.04	Fair Depth to saturated zone	0.04
		Low content of organic matter	0.88				
Rv: Ross-----	90	Fair Water erosion	0.90	Good		Good	
Sd: Sawabash-----	100	Fair Too clayey	0.68	Poor Depth to saturated zone	0.00	Poor Depth to saturated zone	0.00
		Water erosion	0.90	Shrink-swell	0.87	Too Clayey	0.68
SeA: Seafield-----	90	Fair Too acid	0.74	Fair Depth to saturated zone	0.04	Fair Depth to saturated zone	0.04
		Low content of organic matter	0.88				
Sf: Selma-----	100	Fair Carbonate content	0.92	Poor Depth to saturated zone	0.00	Poor Depth to saturated zone	0.00
Sg: Selma-----	100	Good		Poor Depth to saturated zone Shrink-swell	0.00 0.99	Poor Depth to saturated zone	0.00
Sh: Selma-----	100	Fair Carbonate content	0.80	Poor Depth to saturated zone	0.00	Poor Depth to saturated zone	0.00
Sk: Selma-----	100	Fair Carbonate content	0.46	Poor Depth to saturated zone	0.00	Poor Depth to saturated zone	0.00
		Too clayey	0.98	Shrink-swell	0.96	Too Clayey	0.81
SmB: Simonin-----	90	Poor Wind erosion	0.00	Fair Depth to saturated zone	0.76	Poor Too sandy	0.00
		Too sandy	0.00	Shrink-swell	0.86	Depth to saturated zone	0.76
		Carbonate content	0.80				
		Droughty	0.84				
		Low content of organic matter	0.88				
		Too acid	0.95				

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
SrB: Sparta-----	90	Poor Too sandy	0.00	Good		Poor Too sandy	0.00
		Wind erosion	0.00				
		Low content of organic matter	0.12				
		Droughty	0.54				
		Too acid	0.74				
SwA: Strole-----	90	Poor Too clayey	0.00	Fair Depth to saturated zone	0.04	Poor Too Clayey	0.00
		Carbonate content	0.46	Shrink-swell	0.15	Depth to saturated zone	0.04

SxA: Sumava-----	45	Low content of organic matter	0.88				
		Water erosion	0.99				
		Fair		Fair		Fair	
		Low content of organic matter	0.12	Depth to saturated zone	0.04	Depth to saturated zone	0.04
		Carbonate content	0.46			Too sandy	0.96
Ridgeville-----	25	Water erosion	0.68				
		Too sandy	0.96				
		Fair		Fair		Fair	
		Low content of organic matter	0.88	Depth to saturated zone	0.04	Depth to saturated zone	0.04
		Too acid	0.95				
		Fair		Fair		Fair	
Odell-----	15	Carbonate content	0.46	Depth to saturated zone	0.04	Depth to saturated zone	0.04
		Low content of organic matter	0.88			Carbonate content	0.46
		Fair		Fair		Fair	
SyA: Swygert-----	85	Poor		Fair		Poor	
		Too clayey	0.00	Depth to saturated zone	0.04	Too Clayey	0.00
		Carbonate content	0.80	Shrink-swell	0.15	Depth to saturated zone	0.04
		Water erosion	0.99				
		Droughty	0.99				
SzB2: Swygert Variant----	50	Poor		Fair		Poor	
		Too clayey	0.00	Shrink-swell	0.20	Too Clayey	0.00
		Carbonate content	0.80	Depth to saturated zone	0.76	Depth to saturated zone	0.76
		Low content of organic matter	0.88				

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Simonin-----	40	Poor		Fair		Poor	
		Too sandy	0.00	Depth to saturated zone	0.76	Too sandy	0.00
		Wind erosion	0.00	Shrink-swell	0.82	Depth to saturated zone	0.76
		Droughty	0.55				
		Carbonate content	0.80				
		Low content of organic matter	0.88				
SzC2: Swygert Variant----	60	Poor		Fair		Poor	
		Too clayey	0.00	Shrink-swell	0.26	Too Clayey	0.00
		Carbonate content	0.80	Depth to saturated zone	0.76	Depth to saturated zone	0.76
		Low content of organic matter	0.88			Slope	0.84
Simonin-----	30	Poor		Fair		Poor	
		Too sandy	0.00	Depth to saturated zone	0.76	Too sandy	0.00
		Wind erosion	0.00	Shrink-swell	0.86	Depth to saturated zone	0.76
		Droughty	0.60			Slope	0.84
		Carbonate content	0.80				
		Low content of organic matter	0.88				
TaA: Tedrow-----	90	Poor		Fair		Poor	
		Too sandy	0.00	Depth to saturated zone	0.04	Too sandy	0.00
		Wind erosion	0.00			Depth to saturated zone	0.04
		Low content of organic matter	0.12				
		Carbonate content	0.32				
To: Toto-----	100	Droughty	0.58				
		Poor		Poor		Poor	
		Wind erosion	0.00	Depth to	0.00	Depth to	0.00

		Carbonate content	0.00	saturated zone		saturated zone Content of organic matter	0.00
Ud:							
Udorthents-----	100	Poor Low content of organic matter	0.00	Poor Low strength	0.00	Poor Slope	0.00
W:							
Water-----	100	Not rated		Not rated		Not rated	
W4:							
Water-----	100	Not rated		Not rated		Not rated	

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Wa:							
Wallkill-----	100	Good		Poor Depth to saturated zone	0.00	Poor Depth to saturated zone	0.00
Wc:							
Wallkill Variant----	100	Poor Too clayey Too acid	0.00 0.97	Poor Depth to saturated zone	0.00	Poor Too Clayey Depth to saturated zone	0.00 0.00
WeA:							
Watseka-----	90	Poor Too sandy Wind erosion Droughty Low content of organic matter Too acid	0.00 0.00 0.85 0.88 0.97	Fair Depth to saturated zone	0.04	Poor Too sandy Depth to saturated zone	0.00 0.04
WkA:							
Wesley-----	90	Fair Low content of organic matter Water erosion	0.88 0.99	Fair Depth to saturated zone	0.04	Fair Depth to saturated zone	0.04
ZaA:							
Zaborosky-----	90	Poor Too sandy Wind erosion Low content of organic matter Droughty Too acid Carbonate content	0.00 0.00 0.12 0.45 0.54 0.92	Fair Depth to saturated zone	0.04	Poor Too sandy Depth to saturated zone	0.00 0.04
ZbB:							
Zaborosky-----	50	Poor Too sandy Wind erosion Droughty Too acid Low content of organic matter Carbonate content	0.00 0.00 0.52 0.54 0.88 0.92	Fair Depth to saturated zone	0.04	Poor Too sandy Depth to saturated zone	0.00 0.04

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value

Oakville-----	35	Poor		Good		Poor	
		Too sandy	0.00			Too sandy	0.00
		Wind erosion	0.00				
		Low content of organic matter	0.12				
		Droughty	0.21				
		Too acid	0.88				
Zg:							
Zadog-----	55	Fair		Poor		Poor	
		Low content of organic matter	0.12	Depth to saturated zone	0.00	Depth to saturated zone	0.00
		Carbonate content	0.92				
Granby-----	45	Poor		Poor		Poor	
		Wind erosion	0.00	Depth to saturated zone	0.00	Depth to saturated zone	0.00
		Too sandy	0.00			Too sandy	0.00
		Low content of organic matter	0.12				
		Carbonate content	0.80				
		Droughty	0.82				